Articles not marked by any sign were published as original contributions in the Laryngoscope. All articles marked with a † were published in the proceedings of the New York Academy of Medicine, Section on Laryngology and Rhinology. Those marked with a * were published in the proceedings of the Philadelphia Laryngological Society; those marked with a ‡ were published in the proceedings of the American Laryngological Association.

A 1	Bronchus, copper brad in left in-
Abscess of lung following opera-	ferior,-McKinney, R 89
tion on tonsils and upper air	Bronchus, foreign body removed
tract,-Richardson, C. W	from the,-Yankauer, S†433
Abscess of lung following inhala-	, , , , , , , , , , , , , , , , , , , ,
tion of foreign body,-Forbes,	C
Н. Н	Cyst of jaw; external operation,
Abscess, peritonsillar, simplifica-	Carrel-Dakin treatment,-Cham-
tion of the surgical treatment	bers, T. R†889
of,—Cates, T. H. 764	Cyst (implantation) of larynx,-
Adenocarcinoma of the nose,—	Dean, L. W., and Gregg, J. B 74
Hurd, L. M 757	Cyst of nasopharynx,-Knight, F.
Adenoids in adults,-Lewis, F. A. 493	Н†429
Address, presidential, before the	Cyst of thyroglossal duct; two
American Laryngological Asso-	cases,—Freer, O. T
ciation,—Halsted, T. H	, , , , , , , , , , , , , , , , , , , ,
Anaphylaxis due to pollen protein,	D
with a report of the results of	Deaf, medical profession and the,
treatment in the hay fever clinic	-Morgenstern, L 612
of the New Orleans Charity	Deafness, progressive, f r o m
Hospital,—Scheppegrell, W 853	chronic secretory otitis media;
	changing methods in treatment
Angina, cervical gangrene compli- cating Ludwig's,—Voorhees, I.	of,—Emerson, F. P
W	Defective speech and some of its
Angina, Vincent's trichloracetic	phases,-Ersner, M. S 416
acid a specific in,—Gallaher, T.	Diphtheria, municipal control of,—
J 551	Schaeffer, C. W 861
Angina, Vincent's, some interest-	
ing cases of,—Theisen, C. F	E
Angioma of the larynx, intubation	Ear protectors,-Richardson, C.
for, in a child ten weeks old,—	W 514
Levbarg, J. J. 867	Endolaryngeal removal of malig-
Aphasia,—Scripture, May K 408	nant growth; no recurrence at
Asthma, consideration of, from a	end of over 18 months,—Smith
wider aspect,—Pollock, H. L 543	Н†199
Asthma, pathogenesis of bron-	Epiglottis, two cases of syphilis
chial —Freudenthal, W	of and one of tuberculous granu-
chiai — Freudenthai, W	loma, illustrating the difficulty
В	of diagnosis in throat lesions,-
Barany tests, method of analysis	Smith, H 175
of the, in pathologic cases,-	Epistaxis occurring in a hemo-
Fisher, L	philiac,-Harris, T. J
Bleeding from respiratory tract	Epithelioma, primary, of pharynx
below the epiglottis, apparently	and left tonsil,—Weintz, C. H 190
non-tubercular,-Stout, G. C*129	Esophageal diverticulum, t w o
Bronchial tube, carpet tack in	cases of,—Arrowsmith†433
right, for two years with no	Esophagoscopic forceps,Jack-
pathologic symptoms,-Roy, D., 1903	son, C

L616.051

249015

Esophagus, coexistent carcinoma, tuberculosis and probably syph- ilis of,—Dean, L. W., and	Larynx, hemilaryngectomy for car- cinoma of the,—McCoy, J
Gregg, J. B ‡54	Dean, L. W., and Gregg, J. B 74
Esophagus, button in the,-Ker-	Larynx, lymphangioma of the,-
nan, J. D	Richardson, C. W 8
Esophagus, epithelioma of,— Mayer, E	Larynx, treatment of malignant
Ethmoid and frontal sinus, em-	disease of; management and sta- tistics of malignant disease of
pyema of left, with perforation	upper respiratory tract,—Beck,
of inner wall of orbit,-Roberts,	J. C 131
E. R., and Harris T. J 93	Larynx and upper end of eso-
Ethmoiditis, frontal sinusitis, di-	phagus, examination of, with
plopia,—Harris, T. J	head straight,—Johnston, R. H‡127
bryonic carcinoma of,—MacKen-	Laryngeal syphilis, intravenous in- jections of sodium iodide in
ty, J. A	massive doses in obstinate,—
_	Howard, R. C
F. Fibrary roma nagarbary rocal an	Laryngitis, tuberculous, mistaken
Fibromyxoma, nasopharyngeal, un- dergoing scaromatous changes,	for carcinoma,—Freudenthal, W.†205
-Goldbach, L. J. 106	Laryngectomy for epithelioma,—
Frontal sinusitis, vertex head-	Arrowsmith, H
ache preceding and following an	Coy, J†895
operation for,—Harris, T. J†887	Laryngectomy, a recent,—Arrow-
Frontal sinus, large osteoma in-	smith, H
volving the, and uncovering the adjacent brain,—Barnhill, J. F 2909	Laryngectomy, result of a,-Hurd,
aujacent Brain, Barmini, 3. F3000	L. M
H	Laryngectomy with excision of
Hypophysis, observations on the	first portion of esophagus,— McCoy, J†431
decompression operation on the,	Laryngectomy, end results after,—
by the nasal route,—Stein, O. J. 376	Delavan, D. B
Hypophysis cerebri and its morphological influence,—Lewis, F.	Lateral sinus thrombosis; three
P	cases,—Ballon, D. H 465
Total Control of the Control	M Macroglossia lymphangioma with
Instrument for making drainage incision on floor of nose, obviat-	report of a case,—Sleight, R. D.,
ing use of packing following re-	and Haughey, W
section of septum,—Gatewood,	Malingering, new ear test for,-
L 111	Teal, F. F 615
Intubation tube removed from	Malingering in defective hearing,
right lung after two years,-	tests for,—Kerrison, P. D 662 Manikin, description of, for prac-
Arrowsmith, H†432	tice and demonstration of spe-
1	cial instrumentation in bronchos-
Labyrinth, an attempt at simpli-	copy and esophagoscopy 851
fication of the physiology of the	Mastoid operation, radical; indica-
vestibular,—Jones, I. H 472	tions, technique and results,-
Labyrinth, primary disease of, as	Smith, J. M. 584
a result of focal infection,—	Mastoid operation; its relation to modern healing of mastoid
Shambaugh, G. E	wounds,—Blackwell, H. B
of interest in tests of,—Graef,	Mastoid operation, the answer to
C 811	opponents of the radical,-Bow-
Larynx, intubation for angioma	ers, W. C 790
of, in a child ten weeks old,—	Mastoid operation, the modern,—
Levbarg, J. J. 867	Mastoid, surgical pathology of the,
Larynx, cartilaginous tumors of	Dools I C +112

Mastoiditis complicated by para- typhoid fever with metastatic	should constitute the basis for exemption from military service,
abscesses,-MacPherson, D	-Dench, E. B. 717
Maxillary sinus, technique for	Otology, new usefulness of
perineural anesthesia for radi-	Otology, new usefulness of,— Lewis, E. R
cal surgery of the,-Gatewood,	Ozena, atrophic rhinitis and,-
L 616	Coffin, L. A
Maxillary antrum, pathological	
processes involving the, with ref-	Ozena, vaccine treatment of,—
	Glogau, O
erence to silver nitrate treat-	Ozena, end results in treatment of,
ment,—Abraham, J. A	by means of vaccines,—Horn, H.\$122
Maxillary antrum, Skillem's opera-	Ozena secondary to chronic sinu-
tion for empyema of the,-	sitis,—Faulkner, E. R
Harris, T. J	p
Meningitis, case of, treated by	Palate, sarcoma of, improved by
labyrinthectomy and decompres-	
sion,—Perkins, C. E 695	Roentgen rays,—Stout, G. C*129
Meningitis, otitic,—Dench, E. B 501	Palate, specific perforation of the,
	—Harris, T. J,†207
Middle ear suppuration, chronic,	Pansinusitis on one side with tic
treated by the Carrel-Dakin	douloureux on the other; no
method following a radical	operation; necropsy; unusual
operation,—Kerrison, P. D 537	findings,-Culbert, W. L., and
	Dwyer, J. G 486
N	Peroral removal of tack from
Nares, operation for bony occlu-	
sion of the posterior,—White,	lung of child,—Forbes, H. H†196
	Plastic surgery of the face,
L. E 571	primary principles of technique
Nasal cases probably due to syph-	of,—Frank, I 565
ilis; remarks on obscure syph-	Polypi, nasal and aural,—Gluck,
ilitic nasal symptoms,—Roy, D.\$119	C 186
Nasal (sphenopalatine) ganglion	
cases, three unusual,—Suder, G. ‡	R
Nasopharyngeal polypus originat-	Rhinitis, periodic attacks of vaso-
ing in maxiliary sinus,-Baum,	motor, followed by asthma and
Н. L 180	symptoms of paranoia, recurring
Needle for suturing submucous	over a period of ten years,-
	Davies, J. R., Jr 475
flaps,—Fischer, V. B	
Nose, diseases and deformities of,	8
versus neuralgia of the head,—	Sarcoma of orbit removed through
Stauffer, F 698	Killian incision,—Coffin, L. A†881
Nose, plastic operation on the,—	Septal operations, cause of non-
Hurd, L. M	success in,-Vattier, L. C 193
Nose and accessory sinuses, re-	Septum, submucous resection of
port of some cases, mostly trau-	the nasal,-Shook, F. M 750
matic, of serious damage to,	Sinus diseases, negative pressure
operated externally with excel-	as a therapeutic measure in the
lent cosmetic results,—Winslow,	
	treatment of,—Coffin, L. A
J. R. 679	Sinuses, accessory, of the nose;
Nose and throat, conservation in	bacteriological and clinical
radical surgery of the,—Wright,	aspects of infection of,-Bab-
J. W 705	cock, J. W 527
	Sinuses, treatment of suppuration
0	of nasal accessory,—Gleason, E.
Ocular circulation as affected by	В 1
diseases of nasal accessory	Snare, improved,—Harwood, C. B. 50
	Speech defects, diagnosis of,—
sinuses,—Coffin, L. A	Scripture, May K 78
Osteosclerosis of the temporal	
bone in chronic suppuration,—	Speech defects, etiology of,—Scrip- ture, May K
Graham, H. B 872	
Otitis media, conditions developing	Speech defects, phonetics in re-
in chronic suppurative, which	lation to,-Scripture, May K 735

Speech defects, therapy of,—Scrip-	AUTHORS
ture, May K 817	ABRAHAM, J. APathological proc-
Speech instructor, training of	esses involving the maxillary
the,-Swift, W. B 869	antrum, with reference to silver
Spoon, mechanical, for esophago-	nitrate treatment 1 51
scopic use,—Jackson, C 47	ARROWSMITH, HIntubation tube
Stammering, the problem of, and	removed from right lung after
its solution,—Kenyon, E. L 666	two years†432
Status lymphaticus; death follow-	Arrowsmith, H Laryngectomy
ing tonsillectomy; autopsy,-	for epithelioma
ing tonsillectomy; autopsy,— Carter, W. W†422	ABROWSMITH, H A recent laryn-
Stenosis of larynx and trachea fol-	gectomy
lowing diphtheria, treatment of,	Arrowsmith, H.—Two cases of eso-
-Lynah, H. L 629	phageal diverticulum†433
Stuttering and stammering,-	BABCOCK, J. W.—Bacteriological
Scripture, May K 156	and clinical aspects of infection
Styloid process, an elongated,-	of the accessory sinuses of the
Key, S 849	
Suction apparatus, use of, in cases	nose
where ability to swallow or	
cough has been lost,-Myles, R.	thrombosis; three cases
C \$56	BARNHILL, J. F.—Case of large os-
Suspension laryngoscopy—an aid	teoma of right frontal sinus and
in removing foreign bodies from	uncovering the adjacent brain‡909
the larynx and esophagus; re-	BAUM, H. L.—Two cases of naso- pharyngeal polypus originating
port of cases,-Chamberlin, W.	
В 744	in maxillary sinus
Syphilitic necrosis of intermaxil-	BECK, J. C.—Further report on
lary portion of the superior	treatment of malignant disease
maxilla,-Richardson, C. W \$907	of larynx; management and sta-
and the state of t	tistics of malignant disease of
Т	upper respiratory tract
Teratoma, recurrent, of the	Beck, J. C.—Surgical pathology of
trachea,-Freudenthal, W 690	the mastoid
Tonsil, carcinoma of,-McCoy, J†622	BLACKWELL, H. B.—Complete mas-
Tonsil crypts, bacteriology of,-	toid operation; its relation to
Maclay, O. H 598	modern healing of mastoid
Tonsil surgery, rational,-Sauer,	wounds‡116
W. W	Bowers, W. C.—Answer to oppo-
Tonsillectomy in the treatment of	nents of the radical mastoid op-
systemic diseases, results ob-	eration
tained by,-Layman, D. W 65	CARTER, W. W.—Status lymphati-
Tonsillectomy, some unusual dis-	cus; death following tonsillec-
ease conditions apparently cured	tomy; autopsy†422
by,-Dabney, V 479	CATES, T. H.—Simplification of the
Tonsils, pathology and therapy of,	surgical treatment of peritonsil-
in the light of their physiologi-	lar abscess
cal function,-Mink, P. J 437	CHAMBERLAIN, W. B Suspension
	laryngoscopy—an aid in remov-
U	ing foreign bodies from the
Utilizing for educational purposes	larynx and esophagus; report of
slight remnants of hearing in	cases 744
very deaf children,-Wright, J.	CHAMBERS, T. R.—Cyst of jaw; ex-
D 497	ternal operation; Carrel-Dakin
V	treatment†889
Voices, abnormal: falsetto, nasal-,	COFFIN, L. A.—Ocular circulation
ity, hoarseness, cleft palate	as affected by diseases of nasal
enach energatic enach en-	accessory sinuses‡ 58
speech, cnoreatic speech, an- arthria, the voice of the deaf	COFFIN, L. ASarcoma of orbit
	Corrin, D. II. Darcoma or orbit
	removed through Killian in-
and the mental deficient,— Scripture, May K	removed through Killian in- cision

vii

P
FREUDENTHAL, W.—Case of tuber- culous laryngitis mistaken for carcinoma
FREUDENTHAL, W.—Pathogenis of bronchial asthma
GALLAHER, T. J.—Trichloracetic acid a specific in Vincent's angina 551
GATEWOOD, L.—Instrument for making drainage incision on
floor of nose obviating use of packing following resection of septum
GATEWOOD, L.—Technique of per- ineural anesthesia for radical
surgery of the maxillary sinus 616 Gleason, E. B.—Treatment of sup- puration of the nasal accessory
GLOGAU, O.—Vaccine treatment of
ozena 380 GLUCK, C.—Nasal and aural
polypi; their permanent cure 186
GOLDBACH, L. J.—Nasopharyngeal
fibromyxoma undergoing sraco- matous changes
GRAEF, C.—Some points of interest
in tests of labyrinthine func-
GRAHAM, H. B.—Osteosclerosis of the temporal bone in chronic
Suppuration
dress before American Laryn- gological Association
HARRIS, T. J.—Skillern's operation for empyema of the maxillary
HARRIS, T. J.—Specific perforation of the palate
HARRIS, T. J.—Vertex headache preceding and following an
operation for frontal sinusitis †887
HARRIS, T. J.—Epistaxis occurring in a hemophilac
HARRIS, T. J.—Ethmoiditis, frontal sinsusitis, diplopia
HARWOOD, C. B.—Improved snare 50 HORN, H.—End results in treat-
ment of ozena by means of vac- cines
jections of sodium iodide in massive doses in obstinate laryngeal syphilis
HUBBARD, T.—Description of mani-
kin for practice and demonstra- tion of special instrumentation
in bronchoscopy and esophagos- copy

Hurd, L. M.—Adenocarcinoma of	cinoma†895
the nose	cinoma
HURD, L. M.—Plastic operation on	McKinney, R.—Copper brad in
the nose†625	left inferior bronchus; removal 89
HURD, L. M.—Result of a laryn-	Maclay, O. H.—Bacteriology of
gectomy†202	tonsil crypts 598
Jackson, C.—Esophagoscopic for-	MAYER, E.—Epithelioma of esoph-
ceps 49	agus 477
Jackson, C.—Mechanical spoon for	MINK, P. JPathology and ther-
esophagoscopic use 47	apy of the tonsils in the light
JOHNSTON, R. H.—Examination of	of their physiological function 437
larynx and upper end of	MORGENSTERN, L Medical profes-
esophagus with head straight	sion and the deaf 612
Jones, I. H.—An attempt at sim-	Myles, R. C.—Use of aspiration
plification of the physiology of	apparatus in cases where ability
the vestibular labyrinth	to swallow or cough has been
KENYON, E. L.—Problem of stam-	lost
mering and its solution	New, G. B.—Cartilaginous tumors
KERNAN, J. D.—Button in the	of the larynx 367
esophagus†434 Kerrison, P. D.—Chronic middle	PERKINS, C. E.—Case of meningitis
	treated by labyrinthectomy and
ear suppuration treated by the	decompression 695
Carrel-Dakin method following	Pollock, H. L.—Consideration of
a radical operation537	asthma from a wider aspect 543
Kerrison, P. D.—Tests for malin-	RICHARDSON, C. W.—Lymphangi-
gering in defective hearing 662	oma of the larynx
KEY, S An elongated styloid	RICHARDSON, C. W.—Ear pro-
process 849	tectors 314
KNIGHT, F. HCyst of naso-	RICHARDSON, C. WAbscess of
pharynx†429	lung following operation on
KYLE, J. J.—The modern mastoid	tonsils and upper air tract
operation 805	RICHARDSON, C. W.—Syphilitic
LAYMAN, D. W.—Results obtained	necrosis of intermaxillary portion
by tonsillectomy in the treatment	of the superior maxilla
of systemic diseases 65	ROBERTS, E. R. and HARRIS, T. J
LEVBARG, J. J.—Intubation for	Case of empyema of left ethmoid
angioma of the larynx in a child	and frontal sinus with perfora-
ten weeks old	tion of inner wall of the orbit 93
LEWIS, F. AAdenoids in adults 493	Roy, DInteresting nasal cases
LEWIS, E. R.—New usefulness of	probably due to syphilis; re-
	marks on obscure syphilitic
otology	nasal symptoms
LEWIS, F. P.—Hypophysis cerebri	Roy, DCarpet tack in right
and its morphological influence 604	bronchial tube of patient for two
LYNAH, H. LTreatment of	years with no pathologic symp-
stenosis of the larynx and	toms
trachea following diphtheria 629	SAUER, W. W.—Rational tonsil
MACKENTY, J. A Embryonic car-	
cinoma of ethmoid and roof of	surgery
antrum	SCHAEFFER, C. WMunicipal con-
	trol of diphtheria
MACPHERSON, D.—Case of mas-	SCHEPPEGRELL, WAnaphylaxis
toiditis complicated by paraty-	due to pollen protein, with re-
phoid fever with metastatic ab-	port of the results of treatment
scesses‡119	in the hay fever clinic of the
McCoy, JCarcinoma of the ton-	New Orleans Charity Hospital
sil†622	SCRIPTURE, MAY K Etiology of
McCoy, JLaryngectomy with ex-	speech defects 12
cision of first portion of	SCRIPTURE, MAY K.—Diagnosis of
esophagus†431	speech defects
McCoy, J.—Hemilaryngectomy for	SCRIPTURE, MAY K.—Stuttering and
carcinoma of the larynx†428	stammering (lisping) 156

ix

SCRIPTURE, MAY K.—Aphasia 408 SCRIPTURE, MAY K.—Abnormal voices: falsetto, nasality, hoarse- ness, cleft palate speech, choreatic speech, anarthria, the	White, L. E.—Operation for bony occlusion of the posterior nares 571 Winslow, J. R.—Some cases, most- ly traumatic, of serious damage to the nose and accessory
voice of the deaf and the mental defificient 457 SCRIPTURE, MAY K.—Phonetics in relation to speech defects	with excellent cosmetic results 679 WRIGHT, J. D.—Utilizing for edu-
SCRIPTURE, MAY K.—Therapy of speech defects	cational purposes slight rem- nants of hearing in very deaf children
SHAMBAUGH, C. E.—Primary dis- ease of labyrinth as a result of focal infection	WRIGHT, J. W.—Conservatism in radical surgery of the nose and throat
Shook, F. M.—Submucous resec- tion of the nasal septum	moved from the bronchus
Macroglossia lymphangioma 99 SLUDER, C.—Three unusual nasal (sphenopalatine) ganglion cases: 906	BOOK REVIEWS. Eye, ear, nose and throat—Ballenger and Wippern
SMITH, H.—Two cases of syphilis of epiglottis and one of tubercu- lous granuloma, illustrating the	Stammering and its successful control in speech and action,— Ash
difficulty of diagnosis in throat lesions	The sense of taste—Hollings- worth and Poffenberger
of malignant growth; no recurrence at end of over 18 months†199	and the syndrome of the cere- bellopontine angle—Cushing 709
SMITH, J. M.—Radical mastoid operation; indications, technique and results	ABSTRACTS. Acute suppurative Whartonitis—
STAUFFER, F.—Diseases and de- formities of the nose versus neuralgia of the head	Du Pan
STEIN, O. J.—Some observations on the decompression operation on the hypophysis by the nasal	-Torres
route376 Stout, G. C.—Bleeding from respiratory tract below the epiglot-	Clinical interpretation of labyrin- thine phenomena in presence of middle ear suppuration,—O. M.
tis, apparently non-tubercular*129 Stout, G. C.—Case of sarcoma of palate improved by Roentgen	Rott
rays*129 SWIFT, W. B.—Training of the	zie
Teal, F. F.—New ear test for malingering615	Hyperplasia of thymus treated by X-rays,—Benjamin and Lange 848 Infundibular tumor in a child
THEISEN, C. F.—Some interesting cases of Vincent's angina	causing diabetes insipidus—Newmark 174 Intratracheal treatment of asthma,
cess in septal operations 193 VOORHEES, I. W.—Cervical gan-	-J. De Levie
grene complicating Ludwig's angina	sinuses of the nose,—Shore 618 Ossiculectomy in chronic otitis,— Brady
thelioma of the pharynx and left tonsil	Pituitary tumor; operation by trans-sphenoidal route,—Lewis 415

Pituitrin in tonsillar and nasal hemorrhage, — Salinger 550	Syphilis nerve.
Primary tuberculosis of faucial	Thyroid
tonsils, — Mitchell 603	-Lahe
Reactivated thymus,-Hoxie 77	Tonsilled
Relation of focal infection to skin	ren
diseases, — Lain 542	Treatme
Serological investigation of Vin-	Auld
cent's angina,—Taylor 628	Tubercu
Severance of chorda tympani nerve	Schmi
during paracentesis in acute oti-	Tumors
tis media,—Sobotky 768	fini
Surgery of pituitary body,—Segura 105	Vaccine
Syphilis as a factor in diseases of	field
the thyroid gland,—Simonton 743	War inj

Syphilis of inner ear and eighth nerve, — Mackenzie	
Thyroid abscess; two new signs, —Lahey	
Tonsillectomy in arthritis,—War- ren	
Treatment of bronchial asthma,—	
Tuberculosis bronchial glands,— Schmiegelow	
Tumors of temporal lobe,—Ciuf-	
Vaccine treatment of coryza,—Fi- field	
War injuries of the ear Fraser.	

ILLUSTRATIONS

Carcinoma of larynx—Beck	142-151
Cartilaginous tumors of larynx-New	369-370-373
Copper brad in left inferior bronchus; radiograph—McKinn	ney90
Diagrams of Barany tests in pathologic cases—Fisher	725-734
Esophagoscopic forceps—Jackson	49
External nasal surgery—Winslow	682-683
Improved snare—Harwood	50
Instrument for making drainage incision on floor of nose-	Gatewood112
Instrument for introducing chlorazine paste into radical	mastoid
wound-Kerrison	538
Instrument for skin grafting in radical mastoid cavity-K	ahn872
Laryngo-tracheal stenosis—Lynah	645-661
Lymphangioma of larynx—Richardson	9
Macroglossia lymphangioma—Sleight and Haughey	100-102-103
Mechanical spoon for esophagoscopic use-Jackson	47
Modern mastoid operation—	Kyle805
Nasopharyngeal polypus—Baum	181-184
Osteosclerosis of temporal bone—Graham	872
Operation for occlusion of posterior nares-White	573-576
Submucous needle—Fischer	110
Submucous resection of septum—Shook	751-754
Suspension Laryngoscopy—Chamberlin	746-747
Teratoma of trachea—Freudenthal	692